

KEY LEGEND:	
	1200mm Long open channel fluorescent luminaire complete with 2 x 28W T5 lamp & ECG.
	Ceiling mounted round IP65 bulkhead with 2 x 9W LED E27 epison screw, cool white lamps, unbreakable UV protected polycarbonate lenses and cast aluminium body and trim (black externally and white against ceilings).
	Upper Edge Cove Polystyrene Cornice (2000 x 60 x 60mm) fixed to wall and ceiling. To be painted white. Refer to General Specification for Paint Specification.
	16x16mm treated pine quarter round to be fixed to ceiling and wall. To be painted white. Refer to General Specification for Paint Specification.
	<b>CEILING BOARD JOINTS:</b> Ceiling boards edges to be pushed into H-profile steel jointing strips.
	<b>FULL 1200x3600mm SHEETS:</b> Everite Nutec (or equally approved) 6mm thick plain ceiling boards, manufactured in accordance with SANS 9001:2000 carrying SANS 803:2005 mark, fixed to 38x38mm SAP timber brandering at 600mm c/c using 32x2.5mm serrated ceiling nails at 150mm c/c, minimum of 12mm from edge of board. All joints to be covered using H-profile steel jointing strips, all in accordance with the manufacturer's recommendations. Ceiling to be painted white. Refer to general specification for paint specification.
	<b>CUT SHEETS:</b> Everite Nutec (or equally approved) 6mm thick plain ceiling boards, manufactured in accordance with SANS 9001:2000 carrying SANS 803:2005 mark, fixed to 38x38mm SAP timber brandering at 600mm c/c using 32x2.5mm serrated ceiling nails at 150mm c/c, minimum of 12mm from edge of board. All joints to be covered using H-profile steel jointing strips, all in accordance with the manufacturer's recommendations. Ceiling to be painted white. Refer to general specification for paint specification.
	<b>EAVES:</b> Exposed timber to be treated with Creosote (or equally approved). Refer to General Specification.

**GENERAL NOTES:**

THIS DRAWING MUST BE READ IN CONJUNCTION  
WITH THE ELECTRICAL ENGINEER'S DRAWINGS  
AND ARCHITECTURAL LAYOUT DRAWINGS.

**MEDIA ROOM NOTE:**

CEILING TO RECEIVE A GALVANISED STEEL MESH ABOVE THE CEILING IN THE CEILING VOID AS PER STRUCTURAL ENGINEER.

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECT'S AND ENGINEER'S DRAWING.

ONLY FIGURED DIMENSIONS TO BE USED, SCALING OF DRAWINGS  
IS NOT ADVISABLE.

## GEOTECH INFORMATION

ASSUMED SOIL BEARING CAPACITY: \_\_\_\_\_ kPa

RECOMMENDED FOUNDATION DEPTH: \_\_\_\_\_

[illegible]

<b>MUNICIPAL APPROVAL</b>	
NAME: .....	
SIGNATURE: .....DATE: .....	

**North West Department of Education:**

NAME: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_ DATE: \_\_\_\_\_

**DBSA Architect:**

NAME: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_ DATE: \_\_\_\_\_

**DBSA OH&S:**

NAME: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_ DATE: \_\_\_\_\_

**KITSO BOTLHALE**  
CONSULTING ENGINEERS CESA

Tel +27(0)12 663 1357 - Cell +27 (0) 82 903 8497 - Fax +27(0)12 663 1331  
E-mail [bruce@kitsobce.co.za](mailto:bruce@kitsobce.co.za) Website [www.kitsobce.co.za](http://www.kitsobce.co.za)

Unit 2 International Business Gateway, 18 Midridge Park, C/o Pioneer  
Estate & Elizabeth Road, Extension 6 Midridge Park, Midrand, 1682

COMPETENT CONTACT PERSON:	CONTACT No: +27 (0)12 663 1357
Bruce Mutaurowa	FIRM REG No: T.B.C.



DISCIPLINE **ARCHITECTURAL**

**Tshedimoso Primary School**  
PORTION 1 OF THE FARM MOOIPAN No. 104 - IO  
MEASURING - 33 479 m<sup>2</sup>

STAGE 1-3		STAGE 4		STAGE 5-6	
CONCEPT		TENDER	X	CONSTRUCTION	

<b>MEDIA CENTRE (BLOCK 3) REFLECTIVE CEILING</b>	AS SHOWN
--	-------------

<b>DRAWN:</b>	<b>CHECKED:</b>
---------------	-----------------

NAME OF COMPETENT PERSON:	NAME OF COMPETENT PERSON:
---------------------------	---------------------------

D. Basson	M.L. van der Walt
-----------	-------------------

REG No: <b>PSAT 30522947</b>	REG No: <b>Pr.Arch. 7292</b>
------------------------------	------------------------------

SIGNATURE \_\_\_\_\_ SIGNATURE \_\_\_\_\_

.....

PROJECT NUMBER	DATE:
----------------	-------


11-10-2021

S-1 SH-001-30

214

## OCCUPANCY CLASSIFICATION

A3 24



**Scale 1:50**

11-10-2021

VG No: \_\_\_\_\_

214

---

01