



G01




ELEVATION- ENTRANCE GATE
Scale 1/50




PART PLAN- ENTRANCE GATE
Scale 1/50

NOTE
FULL DETAILED SHOP DRAWINGS TO BE SUBMITTED TO ARCHITECT FOR ACCEPTANCE PRIOR TO MANUFACTURING




G05 X 8

Cleaner: DULUX TRADE (OR EQUALLY APPROVED) GALVANISED IRON CLEANER
ONE COAT DULUX TRADE (OR EQUALLY APPROVED) PRIMER FOR GALVANISED IRON (Full Coat)
TWO COATS DULUX TRADE PEARLGLO (OR EQUALLY APPROVED) WATER-BASED ENAMEL.
COLOUR: STORM BIRD 20Y 11/017
OPENINGS TO BE MEASURED ON SITE PRIOR TO MANUFACTURE
GATE TO RECEIVE PANIC HARDWARE WHERE IT FORMS PART OF A FIRE ESCAPE ROUTE.




G06 X 1

Cleaner: DULUX TRADE (OR EQUALLY APPROVED) GALVANISED IRON CLEANER
ONE COAT DULUX TRADE (OR EQUALLY APPROVED) PRIMER FOR GALVANISED IRON (Full Coat)
TWO COATS DULUX TRADE PEARLGLO (OR EQUALLY APPROVED) WATER-BASED ENAMEL.
COLOUR: STORM BIRD 20Y 11/017
OPENINGS TO BE MEASURED ON SITE PRIOR TO MANUFACTURE




G07 X 1

Cleaner: DULUX TRADE (OR EQUALLY APPROVED) GALVANISED IRON CLEANER
ONE COAT DULUX TRADE (OR EQUALLY APPROVED) PRIMER FOR GALVANISED IRON (Full Coat)
TWO COATS DULUX TRADE PEARLGLO (OR EQUALLY APPROVED) WATER-BASED ENAMEL.
COLOUR: STORM BIRD 20Y 11/017
OPENINGS TO BE MEASURED ON SITE PRIOR TO MANUFACTURE
GATE TO RECEIVE PANIC HARDWARE WHERE IT FORMS PART OF A FIRE ESCAPE ROUTE.




G08 X 1

Cleaner: DULUX TRADE (OR EQUALLY APPROVED) GALVANISED IRON CLEANER
ONE COAT DULUX TRADE (OR EQUALLY APPROVED) PRIMER FOR GALVANISED IRON (Full Coat)
TWO COATS DULUX TRADE PEARLGLO (OR EQUALLY APPROVED) WATER-BASED ENAMEL.
COLOUR: STORM BIRD 20Y 11/017
OPENINGS TO BE MEASURED ON SITE PRIOR TO MANUFACTURE
GATE TO RECEIVE PANIC HARDWARE WHERE IT FORMS PART OF A FIRE ESCAPE ROUTE.



G10 X 1

Cleaner: DULUX TRADE (OR EQUALLY APPROVED) GALVANISED IRON CLEANER
ONE COAT DULUX TRADE (OR EQUALLY APPROVED) PRIMER FOR GALVANISED IRON (Full Coat)
TWO COATS DULUX TRADE PEARLGLO (OR EQUALLY APPROVED) WATER-BASED ENAMEL.
COLOUR: STORM BIRD 20Y 11/017
OPENINGS TO BE MEASURED ON SITE PRIOR TO MANUFACTURE



G12 X 2

Cleaner: DULUX TRADE (OR EQUALLY APPROVED) GALVANISED IRON CLEANER
ONE COAT DULUX TRADE (OR EQUALLY APPROVED) PRIMER FOR GALVANISED IRON (Full Coat)
TWO COATS DULUX TRADE PEARLGLO (OR EQUALLY APPROVED) WATER-BASED ENAMEL.
COLOUR: STORM BIRD 20Y 11/017
OPENINGS TO BE MEASURED ON SITE PRIOR TO MANUFACTURE

GENERAL NOTES
THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECT'S AND ENGINEER'S DRAWING.

ALL DIMENSIONS, LEVELS, ETC. ARE TO BE CHECKED BEFORE ANY WORK IS COMMENCED AND ANY DISCREPANCIES NOTED TO BE BROUGHT TO THE ARCHITECT'S ATTENTION.

ONLY FIGURED DIMENSIONS TO BE USED. SCALING OF DRAWINGS IS NOT ADVISABLE.

ALL RIGHTS RESERVED. NO PARTS OF THIS DESIGN SHALL BE REPRODUCED, USED ELSEWHERE AND/ OR IN ANY WAY WITHOUT PRIOR PERMISSION FROM THE ARCHITECT/ ENGINEER.

GEOTECH INFORMATION

SOIL TYPE: _____
ASSUMED SOIL BEARING CAPACITY: _____ kPa
RECOMMENDED FOUNDATION TYPE: _____
RECOMMENDED FOUNDATION DEPTH: _____

| REV No. | DATE | DESCRIPTION |
|---------|----------|--|
| 1 | 10-08-21 | General update |
| 2 | 21-10-21 | Quantities coordinated. Paint spec updated |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

MUNICIPAL APPROVAL

NAME: _____
SIGNATURE: _____ DATE: _____

STAMPS:

CLIENT APPROVALS

North West Department of Education:
NAME: _____ SIGNATURE: _____ DATE: _____

DBSA Architect:
NAME: _____ SIGNATURE: _____ DATE: _____

DBSA OH&S:
NAME: _____ SIGNATURE: _____ DATE: _____

PRINCIPAL AGENT

KITSO BOTHLALE
CONSULTING ENGINEERS
Tel +27(0)12 663 1357 - Cell +27 (0) 82 903 8497 - Fax +27(0)12 663 1331
E-mail: kbotso@kitso.co.za Website: www.kitso.co.za
Unit 2 International Business Gateway, 18 Midridge Park, C/o Pioneer Avenue & Elizabeth Road, Extension 6 Midridge Park, Midrand, 1682

| | |
|---|---|
| COMPETENT CONTACT PERSON: Bruce Mutsaers | CONTACT No: +27 (0)12 663 1357 FIRM REG No: T.B.C. |
|---|---|

education
Lefapha la Thuto
Onderwys Departement
Department of Education
NORTH WEST PROVINCE

DEPARTMENT OF BASIC EDUCATION
222 STRUBEN STREET
PRETORIA

DISCIPLINE
ARCHITECTURAL

PROJECT NAME
Tshedimoso Primary School
PORTION 1 OF THE FARM MOOIPAN No. 104 - IO
MEASURING - 33 479 m²

| STAGE 1-3 | STAGE 4 | STAGE 5-6 |
|-----------|----------|--------------|
| CONCEPT | X TENDER | CONSTRUCTION |

| | |
|---|--------------------|
| DESCRIPTION STEEL GATE SCHEDULE | SCALE: AS SHOWN |
|---|--------------------|

| | |
|---|--|
| DRAWN: NAME OF COMPETENT PERSON: M.L. van der Walt | CHECKED: NAME OF COMPETENT PERSON: A.A. Steyn |
|---|--|

| | |
|---|--|
| REG No: Pr.Arch. 7292 SIGNATURE _____ | REG No: Pr.Arch. 20832 SIGNATURE _____ |
|---|--|

| | |
|---------------------------------------|-----------------------|
| PROJECT NUMBER S-TSH-001-30 | DATE: 10-08-2021 |
| OCCUPANCY CLASSIFICATION A3 | DWG No: 127 |
| | REV No: 02 |