

02 August 2021
Rev. 01

TSHEDIMIOSO PRIMARY SCHOOL

SANITARY SCHEDULE










education
Lefapha la Thuto
Onderwys Departement
Department of Education
NORTH WEST PROVINCE








KITSO BOTLHALE
CONSULTING ENGINEERS CESA



Tel +27(0)12 663 1357 - Cell +27 (0) 82 903 8497 - Fax +27(0)12 663 1331
E-mail bruce@kitsobce.co.za Website www.kitsobce.co.za
Unit 2 International Business Gateway, 18 Midridge Park, C/o Pioneer
Avenue & Elizabeth Road, Extension 6 Midridge Park, Midrand, 1682

Block 01: Administration Block – Small Primary - (ADM1–W)

IMAGE	QTY	SUPPLIER CODE	DESCRIPTION
	X7	7006	"VAAL" or similar approved white vitreous china 560x 415mm rounded "TUSCANY" wall hung basin with one semi-punched tap hole, integrated overflow and chain stay hole through the centre semi-punched tap hole. Basin bolted to wall using two 10mm bolts (code 8448ZO)
	X7	NA-951	"COBRA" or similar approved Noka C.P. single lever basin mixer "COBRA" 340 C.P. deep seal bottle trap. "COBRA" C.P. angle regulating valves, hot and cold (code 232-10 "COBRA" Chrome Plated - Basin Aquawaste (Code 302-32) Slotted with 62mm diameter flange and 80mm long shank.
	X1	code 8919	Paraplegic toilet: "ISCA" or similar approved C.P. Single lever basin mixer unit. Cold water tap to be closest to toilet.
	X7		Silvered float glass copper backed mirrors with 12mm bevelled and polished edges fixed with chrome mirror screws. Dimensions as per layout drawings
	X5	CL-0004	Surface mounted stainless steel vertical soap dispenser (1250ml) 208mm x 123mm x 73mm
	X5	SKU: HE-SATI16	"Green Machine" or similar approved surface mounted folded paper towel dispenser (SATIN)
	X5		Volkem or similar approved 310 x 175 x 500mm slimline stainless steel wall mounted waste bin with "half moon rounding" – 27L.

	X4	INTIMA SHE	INTIMA SHE or similar approved Pedal Bin Notes: Central opening Revertible CoverUnique SANICOC disinfecting system
	X5	TR2A	Surface mounted toilet roll holder lockable white 2 roll
	X2	705326	“VAAL” or similar approved Sanitary vitreous china wall hung “Flatback” urinal. Notes: Includes: Overall size 415 x315 x275 mm. Supplied with 38mm c.p. domical grating (code 8787Z0)), c.p. top inlet spreader (code 8543Z0) and two hander brackets (code 8127Z0). Extra Note: Exposed top inlet flushvalve (COBRA FJ6000 Flushmaster or equivalent) with FJT 5.5 Flushpipe.
	X4	751453	“VAAL” or similar approved - Vaal / vitreouschina Daisy semi-close coupled 90° outlet open rim washdown pan code (751400) and matching 9 liter cistern (code 7105SC) complete with lid, fitments and flush pipe elbow.
	X1	VAA-730103WH	“VAAL” or similar approved Pearl Paraplegic semi close couple boxed suite, with purpose made c.p. side-flush lever (left or right) and purpose made urea seat. Includes F14C cranked rail and F16C cistern rail.
	X1	SKU: 000646	Franke or similar approved Trendline single end bowl, sit-on (32x10 Apron), 800x460x140mm, stainless steel. Note: including plumbing kit
	X1	8239	ISCA or similar approved (Taps & Mixers) – ISCAMIX82- Single hole sink mixer Chrome Finish

Block 02: Dining Room and Nutrition Centre (DNC-W)






















IMAGE	QTY	SUPPLIER CODE	DESCRIPTION
	X4	7006	"VAAL" or similar approved white vitreous china 560x 415mm rounded "TUSCANY" wall hung basin with one semi-punched tap hole, integrated overflow and chain stay hole through the centre semi- punched tap hole. Basin bolted to wall using two 10mm bolts (code 8448ZO)
	X7	NA-951	"COBRA" or similar approved Noka C.P. single lever basin mixer "COBRA" 340 C.P. deep seal bottle trap. "COBRA" C.P. angle regulating valves, hot and cold (code 232-10 "COBRA" Chrome Plated - Basin Aquawaste (Code 302-32) Slotted with 62mm diameter flange and 80mm long shank.
	X4		Silvered float glass copper backed mirrors with 12mm bevelled and polished edges fixed with chrome mirror screws. Dimensions as per layout drawings
	X2	CL-0004	Surface mounted stainless steel vertical soap dispenser (1250ml) 208mm x 123mm x 73mm
	X2	SKU: HE-SATI16	"Green Machine" or similar approved surface mounted folded paper towel dispenser (SATIN)
	X2	751453	"VAAL" or similar approved - Vaal / vitreous china Daisy semi-close coupled 90° outlet open rim washdown pan code (751400) and matching 9 liter cistern (code 7105SC) complete with lid, fitments and flush pipe elbow.





IMAGE	QTY	SUPPLIER CODE	DESCRIPTION
	X2		Volkem or similar approved 310 x 175 x 500mm slimline stainless steel wall mounted waste bin with “half moon rounding” – 27L.
	X1	INTIMA SHE	INTIMA SHE or similar approved Pedal Bin Notes: Central opening Revertible Cover Unique SANICOC disinfecting system
	X2	TR2A	Surface mounted toilet roll holder lockable white 2 roll
	X1		2440mm free standing double bowl pot sink grade 304 (18/10) stainless steel to a thickness of 1.2mm which is suitable for industrial use. Sink depth 380mm with 300mm splashback integrated with sink top. Mounted on square feet with adjustable foot pieces and secured to the wall.
	X1	8239	ISCA or similar approved (Taps & Mixers) – ISCAMIX82- Single hole sink mixer Chrome Finish
	X1	SKU: 2520029	420 x 340mm 1.2mm Grade 304 (18/10) Polished Stainless Steel wall mounted hand wash basin.
	X1	Viking 414AP	Vandal proof, wall mount double hand wash basin with built-in soap holders.








BLOCK 3 MEDIA CENTRE





IMAGE	QTY	SUPPLIER CODE	DESCRIPTION
	X2	7006	“VAAL” or similar approved white vitreous china 560x 415mm rounded “TUSCANY” wall hung basin with one semi-punched tap hole, integrated overflow and chain stay hole through the centre semi- punched tap hole. Basin bolted to wall using two 10mm bolts (code 8448ZO)
	X2	NA-951	“COBRA” or similar approved Noka C.P. single lever basin mixer “COBRA” 340 C.P. deep seal bottle trap. “COBRA” C.P. angle regulating valves, hot and cold (code 232-10 “COBRA” Chrome Plated - Basin Aquawaste (Code 302-32) Slotted with 62mm diameter flange and 80mm long shank.
	X2		Silvered float glass copper backed mirrors with 12mm bevelled and polished edges fixed with chrome mirror screws. Dimensions as per layout drawings
	X1	CL-0004	Surface mounted stainless steel vertical soap dispenser (1250ml) 208mm x 123mm x 73mm
	X1	SKU: HE-SAT116	“Green Machine” or similar approved surface mounted folded paper towel dispenser (SATIN)
	X2	TR2A	surface mounted toilet roll holder lockable white 2 roll

	X2	751453	"VAAL" or similar approved - Vaal / vitreous china Daisy semi-close coupled 90° outlet open rim washdown pan code (751400) and matching 9 liter cistern (code 7105SC) complete with lid, fittings and flush pipe elbow.
	X2	INTIMA SHE	INTIMA SHE or similar approved Pedal Bin Notes: Central opening Reversible Cover Unique SANICOC disinfecting system

Block 04: SINGLE GRADE R (GR-R-W)

IMAGE	QTY	SUPPLIER CODE	DESCRIPTION
	X2	7006	"VAAL" or similar approved white vitreous china 560x 415mm rounded "TUSCANY" wall hung basin with one semi-punched tap hole, integrated overflow and chain stay hole through the centre semi-punched tap hole. Basin bolted to wall using two 10mm bolts (code 8448ZO)
	X3	SKU: SPR703102QMSE	Vaal 703102 Springbok 550 Wall Hung Basin
	X6	AEX5006CHP	COBRA ROMA 15MM PILLAR TAP PP
	X2	NA-951	"COBRA" or similar approved Noka C.P. single lever basin mixer "COBRA" 340 C.P. deep seal bottle trap. "COBRA" C.P. angle regulating valves, hot and cold (code 232-10 "COBRA" Chrome Plated - Basin Aquawaste (Code 302-32) Slotted with 62mm diameter flange and 80mm long shank.

 basin mixer 8919	X1	code 8919	Paraplegic toilet: “ISCA” or similar approved C.P. Single lever basin mixer unit. Cold water tap to be closest to toilet.
	X5		Silvered float glass copper backed mirrors with 12mm bevelled and polished edges fixed with chrome mirror screws. Dimensions as per layout drawings
	X4	CL-0004	Surface mounted stainless steel vertical soap dispenser (1250ml) 208mm x 123mm x 73mm
	X2	SKU: HE-SATI16	“Green Machine” or similar approved surface mounted. Folded paper towel dispenser (SATIN)
	X2		Volkem or similar approved 310 x 175 x 500mm slimline stainless steel wall mounted waste bin with “half moon rounding” – 27L.
	X1	INTIMA SHE	INTIMA SHE or similar approved Pedal Bin Notes: Central opening Revertible Cover Unique SANICOC disinfecting system
	X3	TR2A	surface mounted toilet roll holder lockable white 2 roll

	X1	VAA-730103WH	<p>“VAAL” or similar approved Pearl Paraplegic semi close couple boxed suite, with purpose made c.p. side-flush lever (left or right) and purpose made urea seat.</p> <p>Includes F14C cranked rail and F16C cistern rail.</p>
	X1	SKU: 000646	<p>Franke or similar approved Trendline single end bowl, sit-on (32x10 Apron), 800x460x140mm, stainless steel.</p> <p>Note: including plumbing kit</p>
	X1	8239	<p>ISCA or similar approved (Taps & Mixers) – ISCAMIX82- Single hole sink mixer Chrome Finish</p>
	X2	SKU: JUN751358QMSE	Vaal 751358 Junior Low level Toilets with Seat

EXISTING: ABLUTIONS Alterations



IMAGE	QTY	SUPPLIER CODE	DESCRIPTION
	X1	7006	<p>“VAAL” or similar approved white vitreous china 560x 415mm rounded “TUSCANY” wall hung basin with one semi-punched tap hole, integrated overflow and chain stay hole through the centre semi- punched tap hole. Basin bolted to wall using two 10mm bolts (code 8448ZO)</p>
	X2	AEX5006CHP	<p>COBRA ROMA 15MM PILLAR TAP PP (to match existing taps)</p>











IMAGE	QTY	SUPPLIER CODE	DESCRIPTION
	X1	code 8919	Paraplegic toilet: "ISCA" or similar approved C.P. Single lever basin mixer unit. Cold water tap to be closest to toilet.
	X8		Silvered float glass copper backed mirrors with 12mm bevelled and polished edges fixed with chrome mirror screws. Dimensions as per layout drawings
	X5	CL-0004	Surface mounted stainless steel vertical soap dispenser (1250ml) 208mm x 123mm x 73mm
	X3		Volkem or similar approved 310 x 175 x 500mm slimline stainless steel wall mounted waste bin with "half moon rounding" – 27L.
	X3	SKU: HE-SATI16	"Green Machine" or similar approved surface mounted folded paper towel dispenser (SATIN)
	X2		Extend existing vanity and add Vaal sit-on basin to match existing.
	X1	VAA-730103WH	"VAAL" or similar approved Pearl Paraplegic semi close couple boxed suite, with purpose made c.p. side-flush lever (left or right) and purpose made urea seat. Includes F14C cranked rail and F16C cistern rail.

IMAGE	QTY	SUPPLIER CODE	DESCRIPTION
	X8	INTIMA SHE	INTIMA SHE or similar approved Pedal Bin Notes: Central opening Revertible Cover Unique SANICOC disinfecting system
			QS to confirm damaged units to be replaced
	X3	TR2A	Surface mounted toilet roll holder lockable white 2 roll

Security Guard House









IMAGE	QTY	SUPPLIER CODE	DESCRIPTION
	X1	7006	"VAAL" or similar approved white vitreous china 560x 415mm rounded "TUSCANY" wall hung basin with one semi-punched tap hole, integrated overflow and chain stay hole through the centre semi- punched tap hole. Basin bolted to wall using two 10mm bolts (code 8448ZO)
	X1	NA-951	"COBRA" or similar approved Noka C.P. single lever basin mixer "COBRA" 340 C.P. deep seal bottle trap. "COBRA" C.P. angle regulating valves, hot and cold (code 232-10 "COBRA" Chrome Plated - Basin Aquawaste (Code 302-32) Slotted with 62mm diameter flange and 80mm long shank.
	X1		Silvered float glass copper backed mirrors with 12mm bevelled and polished edges fixed with chrome mirror screws. Dimensions as per layout drawings

IMAGE	QTY	SUPPLIER CODE	DESCRIPTION
	X1	CL-0004	Surface mounted stainless steel vertical soap dispenser (1250ml) 208mm x 123mm x 73mm
	X1	SKU: HE-SATI16	“Green Machine” or similar approved surface mounted folded paper towel dispenser (SATIN)
	X1		Volkem or similar approved 310 x 175 x 500mm slimline stainless steel wall mounted waste bin with “half moon rounding” – 27L.
	X1	TR2A	surface mounted toilet roll holder lockable white 2 roll
	X1	751453	“VAAL” or similar approved - Vaal / vitreous china Daisy semi-close coupled 90° outlet open rim washdown pan code (751400) and matching 9 liter cistern (code 7105SC) complete with lid, fittings and flush pipe elbow.