

KEY LEGEND:

38x38mm SAP timber brandering spaced at 600mm c/c maximum to be fixed by means of skew nailing the brandering at right angles to the timber trusses (trusses spaced at maximum 1000mm c/c's). Nail a length of brandering to the tie beams of the rafters 25 mm away from the walls. Refer to Nutec (or equally approved) manufacturer's installation recommendations.

1 38x38mm SAP timber brandering supporting pieces to be fixed in between brandering at right angles of the brandering for electrical and light fittings. Refer to Nutec (or equally approved) manufacturer's installation recommendations.

2 38x38mm SAP timber brandering supporting pieces to be fixed in between brandering at right angles of the brandering for the access hatch panel support.

GENERAL NOTES:

THIS DRAWING MUST BE READ IN CONJUNCTION WITH THE ELECTRICAL ENGINEER'S DRAWINGS AND ARCHITECTURAL LAYOUT DRAWINGS.

KITCHEN NOTE:

CEILING TO RECEIVE A GALVANISED STEEL MESH ABOVE THE CEILING IN THE CEILING VOID AS PER STRUCTURAL ENGINEER.

GENERAL NOTES

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECT'S AND ENGINEER'S DRAWING.

ALL DIMENSIONS, LEVELS, ETC. ARE TO BE CHECKED BEFORE ANY WORK IS COMMENCED AND ANY DISCREPANCIES NOTED TO BE BROUGHT TO THE ARCHITECT'S ATTENTION.

ONLY FIGURED DIMENSIONS TO BE USED. SCALING OF DRAWINGS IS NOT ADVISABLE.

ALL RIGHTS RESERVED. NO PARTS OF THIS DESIGN SHALL BE REPRODUCED, USED ELSEWHERE AND/OR IN ANY WAY WITHOUT PRIOR PERMISSION FROM THE ARCHITECT/ENGINEER.

GEOTECH INFORMATION

SOIL TYPE: _____

ASSUMED SOIL BEARING CAPACITY: _____ kPa

RECOMMENDED FOUNDATION TYPE: _____

RECOMMENDED FOUNDATION DEPTH: _____

REV No.	DATE	DESCRIPTION

MUNICIPAL APPROVAL

NAME: _____

SIGNATURE: _____ DATE: _____

STAMPS: _____

CLIENT APPROVALS

North West Department of Education:

NAME: _____ SIGNATURE: _____ DATE: _____

DBSA Architect:

NAME: _____ SIGNATURE: _____ DATE: _____

DBSA OH&S:

NAME: _____ SIGNATURE: _____ DATE: _____

PRINCIPAL AGENT

KITSO BOTHLALE
CONSULTING ENGINEERS (Pty) Ltd
Tel +27(0)12 663 1357 - Cell +27 (0) 82 903 8497 - Fax +27(0)12 663 3331
E-mail kbotso@kitso.co.za Website www.kitso.co.za
Unit 2 International Business Gateway, 18 Midridge Park, C/o Pioneer Avenue & Elizabeth Road, Extension 6 Midridge Park, Midrand, 1682

COMPETENT CONTACT PERSON: Bruce Mutaurwa	CONTACT No: +27 (0)12 663 1357 FIRM REG No: T.B.C.
---	---



DEPARTMENT OF BASIC EDUCATION
222 STRUBEN STREET
PRETORIA

DISCIPLINE
ARCHITECTURAL

PROJECT NAME
Tshedimoso Primary School
PORTION 1 OF THE FARM MOIPAN No. 104 - IO
MEASURING - 33 479 m²

PROJECT STATUS

STAGE 1-3	STAGE 4	STAGE 5-6
CONCEPT	TENDER	CONSTRUCTION
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>


DESCRIPTION
DINING & NUTRITION CENTRE (BLOCK 2)
CEILING BRANDERING

SCALE: AS SHOWN

DRAWN: NAME OF COMPETENT PERSON: D. Basson	CHECKED: NAME OF COMPETENT PERSON: M.L. van der Walt
---	---

REG No: PSAT 30522947	REG No: Pr.Arch. 7292
SIGNATURE	SIGNATURE

PROJECT NUMBER S-TSH-001-30	DATE: 11-10-2021
OCCUPANCY CLASSIFICATION A3	DWG No: 210
	REV No: 01



BLOCK 2 - DINING & NUTRITION CENTRE CEILING BRANDERING LAYOUT
Scale 1:50