

ELEVATION 1
scale 1:50

ELEVATION 2
scale 1"=50'

ELEVATION 3

LEVEL: +0.0
NGL

ELEVATION 4
scale 1:50

PLAN
scale 1:50

TYPICAL SECTION
scale 1:50

[illegible]

APPROVED BY PROFESSIONAL ARCHITECT:

H. Nel - Pr. Arch (24750298) DATE

GENERAL NOTES:

All work is to be carried in accordance with SANS 10400 and other relevant SABS standards.

The contractor shall in all aspects of the works comply with the provisions of the Occupational Health and Safety Act, 1993 (Act No 85 of 1993) as well as the Construction Regulations, 2014, as promulgated by the Department of Labour.

All contractors shall ensure that, before any work is put in hand, they comply with all the necessary Acts of Parliament of the Republic of South Africa. This drawing is not to be scaled. Figured dimensions to be used. All dimensions are in millimetres unless otherwise stated.

This drawing must be read in conjunction with all the relevant drawings, schedules and specifications from the Architect and all other consultants related to this project.

TYPE	E1 DUROFIN
NUMBER	W01
FRAME	STANDARD STEEL SCHOOL RESIDENTIAL SECTION BOTTOM HUNG OPEN IN SABS APPROVED
GLASS	6.38mm OBSCURE GLASS WITH STEEL WINDOW PUTTY
FITTINGS	STANDARD BRASS FITTINGS
BURGLAR BARS	N/A
FINISH	1 COAT PRIMER 1 COAT APPROVED ENAMEL PAINT COLOUR AS PER ARCHITECT'S SPECIFICATIONS
NOTES	HEAVY STEEL SECTION
QUANTITY	10

WINDOW SCHEDULE

TYPE D01	
POSITION:	ALL EXTERNAL DOORS:
DOOR TYPE :	813MM X 2032MM BRACED AND LEDGED SOLID EXTERNAL TIMBER DOOR
DOOR FINISH:	3 X COATS CLEAR VARNISH
FRAME:	1.2MM DOUBLE REBATED FRAMES SUITABLE FOR 230MM WALL, TO ACCOMMODATE 813 X 2032 DOOR LEAF
FRAME FINISH:	1 X COAT ZINC CHROMATE PRIMER 2 X COAT APPROVED ENAMEL PAINT COLOUR ACCORDING TO ARCHITECT'S SPECIFICATIONS
DOOR:	STANDARD APPROVED 'MERANT' LEDGED AND BRACED DOOR
IRONMONGERY:	4 LEVER SECURITY LOCKSET AND SATIN – CHROMED HANDLES ALL APPROVED
QUANTITY:	04
NOTE:	WEATHER BARS TO BE INSTALLED

DOOR SCHEDULE

[illegible]